

CERTIFICATE OF ACCREDITATION



Bowser-Morner, Inc.

in

Springfield, Illinois, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

Øim Tymon,

AASHTO Executive Director

Moe Jamshidi,

AASHTO COMP Chair

This certificate was generated on 01/22/2021 at 1:41 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

Bowser-Morner, Inc. in Springfield, Illinois, USA

Quality Management System

Standard: Accredited Since:

R18 Establishing and Implementing a Quality System for Construction Materials Testing Laboratories

12/09/2009

ISO/IEC 17025 General Requirements for the Competence of Testing and Calibration Laboratories

05/10/2012



SCOPE OF AASHTO ACCREDITATION FOR:

Bowser-Morner, Inc. in Springfield, Illinois, USA

Aggregate

Standard:		Accredited Since:
R76	Reducing Samples of Aggregate to Testing Size	12/09/2009
R90	Sampling Aggregate	03/07/2014
T11	Materials Finer Than 75-μm (No. 200) Sieve in Mineral Aggregates by Washing	12/09/2009
T19	Bulk Density ("Unit Weight") and Voids in Aggregate	12/09/2009
T27	Sieve Analysis of Fine and Coarse Aggregates	12/09/2009
T84	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	12/09/2009
T85	Specific Gravity and Absorption of Coarse Aggregate	12/09/2009
T96	Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	12/09/2009
T104	Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	12/09/2009
T112	Clay Lumps and Friable Particles in Aggregate	02/26/2016
T327	Resistance to Abrasion by Micro-Deval (Coarse Aggregate)	10/21/2014
T335	Determining the Percentage of Fractured Particles in Coarse Aggregate	02/26/2016
C29	Bulk Density ("Unit Weight") and Voids in Aggregate	12/09/2009
C88	Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	12/09/2009
C117	Materials Finer Than 75-μm (No. 200) Sieve in Mineral Aggregates by Washing	12/09/2009
C127	Specific Gravity and Absorption of Coarse Aggregate	12/09/2009
C128	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	12/09/2009
C131	Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	12/09/2009
C136	Sieve Analysis of Fine and Coarse Aggregates	12/09/2009
C142	Clay Lumps and Friable Particles in Aggregate	02/26/2016
C535	Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	12/09/2009
C702	Reducing Samples of Aggregate to Testing Size	12/09/2009
D75	Sampling Aggregate	03/07/2014



SCOPE OF AASHTO ACCREDITATION FOR:

Bowser-Morner, Inc. in Springfield, Illinois, USA

Aggregate (Continued)

Standard:		Accredited Since:
	D4791 Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate	02/26/2016
	D5821 Determining the Percentage of Fractured Particles in Coarse Aggregate	02/26/2016
	D6928 Resistance to Abrasion by Micro-Deval (Coarse Aggregate)	10/21/2014
	D7428 Resistance to Abrasion by Micro-Deval (Fine Aggregate)	11/05/2014